

MICRO FORMULA™ Application Data - Processed Cheese

Neutral 60

Recommended amount

Big amounts of MICRO FORMULA™ Neutral 60 can be added to processed cheese (ie. food products made from regular cheese and sometimes unfermented dairy ingredients plus emulsifiers, extra salt, colouring agents and/or whey), also marketed as process cheese, prepared cheese or cheese food.

GEA Filtration recommends admixture of up to 17.5 % MICRO FORMULA™ Neutral 60 to processed cheese. The allowable quantity depends on the wanted functional properties and quality of the final product.

No information about the maximum allowable of MICRO FORMULA™ Neutral 60 for each specific cheese type is available yet.

Required adjustments

As the amount of water bound to the cheese increases with the amount of MICRO FORMULA™ Neutral 60 added to the cheese, the cheese recipe needs to be modified accordingly.

MICRO FORMULA™





Process Description

MICRO FORMULA™ Unit

GEA Filtration has developed a new simple unit for microparticulation of whey proteins. The unit, named MICRO FORMULA™, now makes it possible to utilize the bi-product, whey, to increase product yield and replace fat. The microparticulation process forms particles similar to milk fat particles. Microparticulated whey can be used in a number of dairy products.

The products, where fat can be replaced, include:

- Most cheese types (also yield increase)
- Ice cream
- Yoghurt and milk desserts
- Dressing and sauces
- Mayonnaise and fat emulsions
- Other fat-containing food products

Advantages in operation and investment costs

Compared to existing microparticulation technologies in the market, MICRO FORMULA™ presents a number of advantages for our customers. The process is simple - and the unit is easy and inexpensive to maintain and it comes in standardized modules. In addition to this the MICRO FORMULA™ has the following advances:

- No scraped surface heat exchangers (SSHE)
- No homogenizer
- No tubular heat exchangers (THE)
- No heat transfer surfaces > denaturation temperature
- Ordinary plate heat exchangers (PHE)
- Ordinary flow components
- Low maintenance costs
- No scraps from scraper blades or stator in the final product
- Yield increase – protein and water binding effect
- Long production time between CIP – 18-20 hours
- Payback calculation < 1 year
- A true “Money Printing MICRO FORMULA™ Unit”

Side benefits

Furthermore, microparticulated whey proteins, utilizing cheese whey otherwise dumped as a damaging waste product and replacing fat in a lot of dairy products, have a direct positive impact on the environment and public health.

Product characteristics

The microparticulated particles have the following characteristics:

- Viscosity as cream
- Creamy
- Whitish
- Particle size 1-10 µm

Technological features

The process is generally profitable for customers generating more than 80,000 litres of whey per day.

GEA Filtration offers the MICRO FORMULA™ unit in the following five sizes:

MICRO FORMULA™ unit	MP500	MP1000	MP1500	MP2000	MP3000
Capacity [kg/h]	500	1.000	1.500	2.000	3.000
Whey utilized [l/h]	8,500-9,000	17,500-18,000	25,500-27,000	35,000-36,000	51,000-54,000
UF system	2 loops	2 loops	3 loops	4 loops	5 loops

GEA Filtration has supplied reference units running 18 hours a day with only one CIP (cleaning-in-place) each day.